

# **REQUEST FOR QUALIFICATIONS**

**MICHIGAN DEPARTMENT OF TRANSPORTATION**

**Southwest Region**

**Design-Build Project**

**I-94 Calhoun County**

**Job Numbers: 201957, 203387, 204348, 204349, 210073, 210837,  
212581**

**Control Sections: 13081, 13082, 13083**

**Federal Project Number: TBD**

**Original Issue**

**October 25, 2021**



# Table of Contents

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	PROCUREMENT PROCESS.....	1
1.2	PROJECT GOALS .....	1
<b>2</b>	<b>BACKGROUND INFORMATION; RFQ PROCESS .....</b>	<b>3</b>
2.1	PROJECT DESCRIPTION; SCOPE OF WORK .....	3
2.2	PROJECT SCHEDULE .....	5
2.3	INQUIRIES AND GENERAL INFORMATION .....	5
2.4	PREQUALIFICATION.....	6
2.5	MAJOR PARTICIPANTS.....	7
2.6	MDOT CONSULTANT/TECHNICAL SUPPORT .....	7
2.7	CONFLICTS OF INTEREST .....	7
2.8	CHANGES TO ORGANIZATIONAL STRUCTURE.....	8
2.9	FEDERAL REQUIREMENTS .....	8
2.10	EQUAL EMPLOYMENT OPPORTUNITY .....	8
2.11	DISADVANTAGED BUSINESS ENTERPRISES.....	8
<b>3</b>	<b>CONTENT OF STATEMENT OF QUALIFICATIONS .....</b>	<b>9</b>
3.1	INTRODUCTION (PASS/FAIL) .....	9
3.2	UNDERSTANDING OF PROJECT (25 POINTS) .....	9
3.3	QUALIFICATIONS OF TEAM (40 POINTS).....	9
3.3.1	<i>Organization of Project Team</i> .....	10
3.3.2	<i>Project Team Communication</i> .....	10
3.3.3	<i>Key Personnel</i> .....	10
3.4	SUBMITTER EXPERIENCE (25 POINTS) .....	14
3.5	PAST PERFORMANCE OF DESIGNERS (10 POINTS) .....	14
3.6	LEGAL AND FINANCIAL (PASS/FAIL).....	14
3.6.1	<i>Organizational Conflicts of Interest</i> .....	14
3.6.2	<i>Legal Structure</i> .....	15
3.6.3	<i>Financial Viability</i> .....	15
<b>4</b>	<b>EVALUATION PROCESS.....</b>	<b>16</b>
4.1	SOQ EVALUATION.....	16
4.2	SOQ SCORING.....	16
4.3	DETERMINING SHORTLISTED SUBMITTERS .....	16
4.4	NOTIFICATION OF SHORTLISTING .....	16
4.5	DEBRIEFING .....	16
<b>5</b>	<b>SOQ SUBMITTAL REQUIREMENTS.....</b>	<b>17</b>
5.1	DUE DATE, TIME AND LOCATION.....	17
5.2	FORMAT .....	17
<b>6</b>	<b>PROCUREMENT PHASE 2 .....</b>	<b>18</b>
6.1	REQUEST FOR PROPOSALS.....	18
6.2	RFP STRUCTURE.....	18
6.3	PROPOSAL EVALUATIONS .....	18
6.4	STIPENDS .....	18

---

**Attachments**

ATTACHMENT A	LOCATION MAP .....	19
ATTACHMENT B	PRELIMINARY REFERENCE INFORMATION DOCUMENTS .....	21
ATTACHMENT C	CONFLICT OF INTEREST DISCLOSURE .....	25
ATTACHMENT D	EXAMPLE NOTICE OF SHORTLISTING RESULTS .....	26
ATTACHMENT E	SUBMITTER INTRODUCTION FORM.....	27

# 1 INTRODUCTION

The Michigan Department of Transportation (MDOT) is requesting Statements of Qualifications (“SOQs”) from entities (“Submitters”) interested in submitting proposals for the design and construction of I-94 in Calhoun County (the “Project”). The Project will be funded with state and federal-aid dollars thereby requiring the Submitters adhere to all pertinent federal, state and local requirements. MDOT has concluded that harnessing private-sector creativity through a design-build approach is the best way to ensure cost-effective and expedited delivery of this Project to maintain corridor mobility, minimize environmental impacts, provide needed safety improvements and economic development benefits to the public.

## 1.1 Procurement Process

MDOT intends, through this procurement, to enter into a Contract that will result in cost-effective and expedited completion of all elements of the Project. The Contract will obligate the design-build contractor (“Design-Builder”) to administer, design and construct the Project. MDOT will use a two-phase procurement process to select a Design-Builder to deliver the Project. This Request for Qualifications (RFQ) is issued as part of the first phase to solicit information, in the form of SOQ’s, that MDOT will evaluate to determine which Submitters are the most qualified to successfully deliver the Project. MDOT intends to shortlist at least three (3) and no more than five (5) teams. Submitters that are eligible to receive the Request for Proposals (RFP). In the event that there are less than three Submitters, MDOT may cancel the procurement or re-advertise the Project.

In the second phase, MDOT will issue an RFP for the Project to the shortlisted Submitters. Only the shortlisted Submitters will be eligible to submit technical and price proposals in response to the RFP for the Project. Each shortlisted Submitter that submits a proposal in response to the RFP is referred to herein as a “Proposer.” MDOT intends to award a Contract for the Project to the Proposer offering the lowest responsive bid, to be determined as described in the RFP. Accelerated contract provisions are being considered.

The Contract will include a fixed price to complete the Project. The Contract will set forth the terms of the Design-Builder compensation and additional details of the Design-Builder’s anticipated obligations and responsibilities in connection with the administration, design and construction of the Project.

Award of a Design-Build Contract will be conditioned upon finalization of a Design-Build Contract, and the satisfaction of other conditions that will be set forth in the RFP

## 1.2 Project Goals

The following goals have been established for the Project:

- A. Safety
  - i. Provide a safe Project area for the traveling public and workers during execution of the Project.
  - ii. Provide a solution consistent with current MDOT, FHWA, and AASHTO practices, guidelines, policies, and standards.
  - iii. Improve permanent traffic operations (levels of service) at the Beckley Road intersection with Capital Avenue.
- B. Mobility
  - i. Minimize impacts to I-94 traffic and the local roads adjacent to the Project.
  - ii. Minimize impacts to Capital Avenue and adjacent interchange ramps.
  - iii. Maintain access to businesses at all times.
  - iv. Minimize ramp closures and detour durations.
- C. Maximize Disadvantaged Business Enterprise (“DBE”) participation
  - i. Develop and implement a DBE Engagement Plan that achieves the DBE goal for the Project.
- D. Minimize environmental impacts.
  - i. Avoid or minimize impacts within environmentally sensitive areas.
  - ii. Maintain access to the North Country Trail at all times.

- iii. Minimize disruption to and impacts within the Kalamazoo River.
- iv. Avoid impacts to mussels or mussel habitats located within the Project area.
- E. Quality
  - i. Provide a high-quality product that minimizes future maintenance.
- F. Budget
  - i. Complete the Project within MDOT's established budget.
- G. Complete the Project within the planned schedule.
- H. Extend service life of roads and bridges.

## 2 BACKGROUND INFORMATION; RFQ PROCESS

### 2.1 Project Description; Scope of Work

The Project is located along I-94 in the City of Battle Creek and Emmett and Marshall Townships, Calhoun County, and includes the design and construction for the following major items of work:

- Mill and resurface two-course asphalt along I-94 from 0.6 miles west of Helmer Road to westerly approach slab of 6 ½ Mile Road, including the following ramps:
  - Helmer Road
  - Rest Area
  - Capital Avenue
  - I-194
  - M-294 (Beadle Lake Road)
- Mill and resurface along I-94 from 200 feet east of I-94BL (Michigan Avenue) to 500 feet west of Old US-27 (17 Mile Road) consisting of a 2-inch cold mill and HMA overlay between edge lines and 1.5 inch cold mill and HMA overlay of Old US-27 (17 Mile Road) ramps.
- Add a westbound right-turn lane on Beckley Road at Capital Avenue.
- Reconstruct bridge approaches of all bridges.
- Increase I-94 design speed to desired 75 mph in 4R reconstruction areas.
- Reconstruct Rest Area parking lot.
- Reconstruct the following I-94 bridges to obtain minimum required vertical underclearance:
  - S04 of 13081 – Capital Avenue over I-94
  - B01-3&4 of 13082 – EB and WB I-94 over Kalamazoo River
  - S01-3&4 of 13082 – EB and WB I-94 over 6 ½ Mile Road
  - S02-3&4 of 13082 – EB and WB I-94 over M-294 (Beadle Lake Road)
  - S03-3&4 of 13082 – EB and WB I-94 over 9 Mile Road
- Bridge work at the following locations:
  - S05-3&4 of 13081 – I-94 over Riverside Drive – Epoxy overlay, joint replacements, sleeper slab replacement joint reseal, concrete repair of barrier and backwall, and new approaches.
  - S06-1&2 of 13081 – I-194 over I-94 – Painting substructure horizontal surface coating, silane treatment on filler walls and abutment extensions, replace filler walls at piers, and substructure patching.
  - S04 of 13082 – F Drive N over I-94 – Deck replacement, substructure patching (pier and abutment), temporary supports at south abutment and pier and new approaches.
  - S05 of 13082 – I-94BL (Michigan Avenue) over I-94 – Shallow overlay, substructure patching, bridge barrier railing replacement with slab overhang replacement, superstructure repair, bridge approach, full depth deck patching, and beam repairs.
  - S06 of 13082 – M-311 over I-94 – Bridge barrier railing replacement with slab overhang replacement, deck patching, substructure patching, concrete surfacing coating, healer sealer, beam end repair with carbon fiber wrap and expansion joint replacement, full depth deck patching, beam repairs, and new approaches.
  - S01 of 13083 – Old US-27 (17 Mile Road) over I-94 - Epoxy overlay, deck patch, full paint, joint replacement, pack rust removal, bearing seat repair, new approaches, substructure patching, temporary support for piers, and pavement replacement (concrete to HMA) on I-94 under 17 Mile Road.
- Signal upgrades at Capital Avenue Interchange.
- Install ITS equipment (e.g., CCTV, MVDS, etc.) at multiple locations within the corridor.
- Apply high friction surface treatment to various ramps within the corridor.
- Add Bridge Icing Warning System to M-294 bridge.
- Comply with environmental permits and minimize impacts to threatened and endangered plants and animals.

- Drainage improvements including culvert extensions and replacements, and stormwater detention and retention.

The Project scope encompasses seven project numbers and three control sections as follows:

**JN 201957**

**CS 13082** – Bridge rehabilitation work at S05 of 13082 – I-94BL (Michigan Avenue) over I-94

**JN 203387**

**CS 13083** – Bridge rehabilitation work at S01 of 13083 – Old US-27 (17 Mile Road) over I-94

**JN 204348**

**CS 13081** – Bridge rehabilitation work at S05-3&4 of 13081 – I-94 over Riverside Drive

**JN 204349**

**CS 13081** – Bridge rehabilitation work at S06-1&2 of 13081 – I-94 over I-94

**JN 210073**

**CS 13081, 13082** – Road work along I-94 from 0.60 miles west of Helmer Road to 3,000' east of the Kalamazoo River

**CS 13081, 13082** – Bridge replacements at:

- S04 of 13081 – Capital Avenue over I-94
- B01-3&4 of 13082 – EB and WB I-94 over Kalamazoo River
- S01-3&4 of 13082 – EB and WB I-94 over 6 ½ Mile Road
- S02-3&4 of 13082 – EB and WB I-94 over M-294 (Beadle Lake Road)
- S03-3&4 of 13082 – EB and WB I-94 over 9 Mile Road

**JN 210837**

**CS 13082, 13083** – Road work on I-94 from 200 feet east of I-94BL (Michigan Avenue) to 500 feet west of 17 ½ Mile Road consisting of the following:

- 2 inch cold mill and HMA overlay between edge lines
- 1.5 inch cold mill and HMA overlay of Old US-27 (17 Mile Road) ramps
- Gap out areas below (MPs are WB)
  - Old US-27 (17 Mile Road) CS 11.510 to 11.700, PR 17.802 to 17.992
  - 15 Mile Road to I-69 CS 9.478 to 9.630, PR 15.770 to 15.922
  - Verona Road CS 8.020 to 8.085, PR 14.312 to 14.377

**JN 212581**

**CS 13082** – Bridge rehabilitation work at S06 of 13082 – M-311 over I-94

Traffic is expected to be maintained on I-94 with the following restrictions. The RFP will contain the final requirements for maintaining traffic.

- Shoulder closures will be permitted on I-94 at any time.
- Maintain a minimum of two (2) lanes of traffic in each direction on I-94. It is anticipated that nighttime off-peak lane closures will be allowed.
- It is anticipated that short-term closures or stoppages of I-94 will be allowed for bridge/deck demolition and beam setting.
- It is anticipated that 6 ½ Mile Road and 9 Mile Road will be closed during the demolition and construction of the I-94 bridges.
- It is anticipated that M-294 (Beadle Lake Road) will remain open except during demolition and beam setting of the I-94 bridges.

- It is anticipated that the F Drive North, Michigan Avenue, M-311 and Old US-27 (17 Mile Road) roadways over I-94 will be closed for bridge repair work.
- Ramp closures will be allowed with restrictions at the following interchanges:
  - I-194/M-66 (loop ramps only)
  - M-294 (Beadle Lake Road)
  - M-311
  - Old US-27 (17 Mile Road)
- All I-94/I-69 interchange ramps must be maintained during construction.
- Restrictions will be in place for all local roadway and ramp closure durations and concurrent closures.
- All traffic must be in their normal lanes during Seasonal Suspension. Work that does not impact traffic maybe allowed during the winter period. MDOT will not participate in extra costs associated with performing work during the winter.

Project information and data is included in attachments as follows:

- Attachment A – Location Map
- Attachment B – Preliminary Reference Information Documents (RID)

Reference Information Documents (RID) and reference to any website (including the Project Webpage) in this RFQ are provided for reference and background information only. MDOT has not determined whether the RID are without error, complete, pertinent, or of any other value to potential Design-Builders. MDOT makes no representation as to the accuracy, completeness, or pertinence of the RID or information in any referenced website (including the Project Webpage), and, in addition, shall not be responsible for any interpretations thereof or conclusions drawn therefrom. The information contained in the RID or set forth in any referenced website (including the Project Webpage) reflects information as of any date or time identified therein.

The RID provided are in draft format and are being provided for informational purposes only. The RID provided are subject to revision, correction, or alteration. MDOT may not provide notification of such changes. The RID provided will not be used or relied upon for bidding or estimating purposes, nor will they otherwise be considered contractual or binding in nature.

## 2.2 Project Schedule

MDOT anticipates carrying out the first phase of the procurement process contemplated hereby in accordance with the following schedule:

Issue RFQ	October 25, 2021
Deadline for submitting RFQ questions	November 16, 2021 4:00 pm EST
SOQ due date	November 30, 2021 4:00 pm EST
Evaluation of SOQs	November 30 – December 14, 2021
Anticipated Notification of shortlisted Submitters (Proposers)	December 21, 2021
Anticipated RFP Issuance	March 2022
Anticipated Contract Award	July 2022

This schedule is subject to modification at the sole discretion of MDOT. Submitters will be notified of any change by an addendum to this RFQ. MDOT intends to issue the RFP shortly after selection of the shortlisted Proposers and to prosecute the procurement to a Contract award thereafter. The RFP will establish the Project schedule including open to traffic and completion dates.

## 2.3 Inquiries and General Information

Information regarding this RFQ, including addenda to the RFQ, questions and answers, and project specific information, will be posted at the following website: [www.michigan.gov/ic](http://www.michigan.gov/ic) listed under *I-94 Calhoun County (DB)*.



In order to facilitate receipt, processing and response, all questions regarding the Project shall be submitted by e-mail to the MDOT Innovative Contracting Project Manager listed below by the date indicated in Section 2.2. The employees and representatives of the Submitter may not contact any MDOT staff (including members of the selection team) other than the MDOT Innovative Contracting Project Manager, or their designee, to obtain information on the Project. Such contact may result in disqualification.

MDOT may make edits in addenda to this RFQ in response to clarification requests. Alternatively, MDOT may respond to those questions that MDOT deems to be material and not adequately addressed through potential addenda to the RFQ. MDOT will post any such responses and/or addenda to this RFQ on the MDOT Innovative Contracting website.

Proposers are responsible for monitoring the Project Webpage for information concerning this procurement.

### **MDOT Innovative Contracting Project Manager**

Miranda Spare, P.E.

Michigan Department of Transportation, Innovative Contracting Unit

E-mail: SpareM@michigan.gov

### ***Addenda to the RFQ:***

MDOT reserves the right to revise this RFQ at any time before the SOQ due date. Such revisions, if any, will be announced by addenda and posted on the MDOT Innovative Contracting website. Submitters are responsible for monitoring the MDOT Innovative Contracting website for information concerning this procurement as teams responding to this RFQ will be required to acknowledge in Attachment E, Submitter Introduction Form, that they have received and reviewed all Addenda posted thereon.

### ***News Releases:***

Any news releases pertaining to this RFQ or the services, study, data or project to which it relates will not be made without prior written MDOT approval, and then only in accordance with the explicit written instructions from MDOT.

### ***Observers During Evaluation:***

Submitters are advised that observers from federal or other agencies affected by the Project and local governmental entities, may observe the SOQ evaluation process and will have the opportunity to review the SOQs after the SOQ Due Date.

### ***Disclosure:***

All information in a Submitter's SOQ and any contract resulting from this RFQ are subject to disclosure under the provisions of the "Freedom of Information Act," 1976 Public Act No. 442, as amended, MCL 15.231, et seq.

## **2.4 Prequalification**

The Submitter and their subcontractors must meet the following prequalification requirements:

### **Design-Builder Prequalification Requirements**

- 106,000 Cb or 106,000 Fa – Subclassification of Cb or Fa will be required.

### **Lead Engineering Design Firms Prequalification Requirements**

- Design – Bridges: Complex
- Design – Roadway: Complex

**Anticipated Secondary Engineering Design Firms Prequalification Requirements (Firms that satisfy the requirements denoted with an asterisks (\*) below must be identified in the SOQ. Firms that satisfy the remainder of the requirements do not need to be identified in the SOQ)**

- Design – Bridges: Load Rating
- Design Geotechnical: Advanced\*
- Design – Hydraulics II\*
- Design – Traffic: Capacity & Geometric Analysis\*
- Design – Traffic: ITS – Design & System Manager
- Design – Traffic: Pavement Markings
- Design – Traffic: Safety Studies
- Design – Traffic: Signal
- Design – Traffic: Signal Operations – Complex\*
- Design – Traffic: Signing – Freeway
- Design – Traffic: Signing – Non-Freeway
- Design – Traffic: Work Zone Maintenance of Traffic\*
- Design – Traffic: Work Zone Mobility & Safety
- Design – Utilities: Municipal
- Design – Utilities: Roadway Lighting
- Design – Environmental: Waterways
- Surveying: Right of Way
- Surveying: Road Design
- Surveying: Structure

Additional design prequalification classifications will be listed in the Project's Request for Proposal.

## 2.5 Major Participants

As used herein, the term "Major Participant" means any of the following entities: all general partners or joint venture members of the Submitter; all individuals, persons, proprietorships, partnerships, limited liability partnerships, corporations, professional corporations, limited liability companies, business associations, or other legal entity however organized, holding (directly or indirectly) a 30% or greater interest in the Submitter; any subcontractor(s) that will perform work valued at 30% or more of the overall contract amount; the lead engineering/design firm(s); and each engineering/design sub-consultant that will perform 30% or more of the design work.

## 2.6 MDOT Consultant/Technical Support

MDOT has retained consultants to provide guidance in preparing and evaluating the RFP and advice on related contractual and technical matters for this design-build project. The following consultants are not eligible to participate on any Submitter's team: HNTB Corporation, C2AE, Accompong Engineering, NTH Consultants, Cardno, Somat Engineering, Surveying Solutions, and Advanced Geomatics (A Division of Charlevoix Abstract & Engineering Company).

## 2.7 Conflicts of Interest

The Proposer shall accept responsibility for being aware of the requirements of 23 Code of Federal Regulations (CFR) 636.116 and include a full disclosure of all potential organizational conflicts of interest in the Proposal.

The Submitter shall complete a Conflict of Interest Statement (See Attachment C) certifying that they have read and understand MDOT's policy regarding conflict of interest and the CFR and that each Major Participant has done the same. The Submitter shall certify that they and each Major Participant have no conflict of interest with the Project. If there is a conflict with the Project, then the Submitter needs to describe the conflict.

The Submitter agrees that, if after award, an organizational conflict of interest is discovered, the Submitter shall

make an immediate and full written disclosure to MDOT that includes a description of the action that the Submitter has taken or proposes to take to avoid or mitigate such conflicts. If an organizational conflict of interest is determined to exist, MDOT may, at its discretion, cancel the design-build contract for the Project. If the Submitter was aware of an organizational conflict of interest prior to the award of the contract and did not disclose the conflict to MDOT, MDOT may terminate the contract for default.

MDOT may disqualify a Submitter if any of its Major Participants belong to more than one submitting team.

## **2.8 Changes to Organizational Structure**

All changes in Key Personnel or a Major Participant from a Submitter's SOQ to the Submitter's Proposal in response to the RFP shall be approved by MDOT in writing by submitting Form 5100G. Changes in Key Personnel or a Major Participant shall be approved by MDOT prior to submitting a proposal in response to the RFP. MDOT may revoke an awarded contract if any Key Personnel or Major Participant identified in the SOQ is removed, replaced or added without MDOT's prior written approval. To qualify for MDOT approval, the written request shall document that the proposed removal, replacement or addition will be equal to or better than the Key Personnel or Major Participant provided in the SOQ. MDOT will use the criteria specified in this RFQ to evaluate all requests. Form 5100G Changes in Key Personnel shall be submitted to MDOT's Innovative Contracting Project Manager as identified in Section 2.3 (Forms can be found at this website:

<https://mdotjboss.state.mi.us/webforms/WebFormsHome.htm>).

## **2.9 Federal Requirements**

Submitters are advised that the RFP will be drafted based on the assumption that the Project will be eligible for federal-aid funds. Therefore, the procurement documents and the Contract shall conform to requirements of applicable federal law, regulations and policies. MDOT anticipates that certain federal procurement requirements will apply, including but not limited to Equal Opportunity requirements (Title VI of the Civil Rights Act of 1964, as amended), requirements applicable to DBEs (Title 49 Code of Federal Regulations Part 26, as amended), Small Business requirements (United States Code Sections 631 et seq.), Buy America requirements (49 Code of Federal Regulations Part 661) and Davis-Bacon wage rates. MDOT reserves the right to modify the procurement process described herein to address any concerns, conditions or requirements of federal agencies, including the Federal Highway Administration ("FHWA"). Proposers shall be notified in writing via an addendum of any such modifications.

## **2.10 Equal Employment Opportunity**

The Submitter will be required to follow both State of Michigan and Federal Equal Employment Opportunity (EEO) policies.

## **2.11 Disadvantaged Business Enterprises**

It is the policy of MDOT that Disadvantaged Business Enterprises (DBEs), as defined in 49 CFR Part 26, and other small businesses shall have the maximum feasible opportunity to participate in contracts financed in whole or in part with public funds. Consistent with this policy, MDOT will not allow any person or business to be excluded from participation in, denied the benefits of, or otherwise be discriminated against in connection with the award and performance of any U.S. Department of Transportation (DOT)-assisted contract because of sex, race, religion, or national origin. MDOT has established a DBE program in accordance with regulations of the DOT, 49 CFR Part 26. In this regard, the Submitter will take all necessary and reasonable steps in accordance with 49 CFR Part 26 to ensure that DBEs have the maximum opportunity to compete for and perform the contract. Additional DBE requirements will be set forth in the RFP.

MDOT anticipates that the Project will have a **DBE goal of 6%**

### 3 CONTENT OF STATEMENT OF QUALIFICATIONS

This section describes specific information that shall be included in the SOQ. SOQs shall follow the outline of this Section 3.0. Submitters shall provide brief and concise information that addresses the requirements of the Project consistent with the evaluation criteria described in this RFQ. SOQs shall be submitted exclusively in the English language, inclusive of English units of measure and cost terms in United States of America dollar denominations.

#### 3.1 Introduction (Pass/Fail)

The Submitter must complete and sign the Submitter Introduction Form (Attachment E). **The form certifies the truth and correctness of the contents of the SOQ.** This information will be used to define the Submitter team structure and composition, identify the Submitter and its designated contact, and will be reviewed on a pass/fail basis only and not as part of the qualitative assessment of the SOQ.

#### 3.2 Understanding of Project (25 points)

Based on information available at the time of the RFQ, provide a synopsis demonstrating the Submitter's understanding of the physical description of the Project, probable impacts of the Project, potential issues and risks affecting the Project, and Submitter approach to delivering the Project and potential solutions to probable impacts and risks. Demonstrate an understanding of the Project goals discussed in Section 1.2 as the following areas are specifically addressed:

- A. Understanding of Project scope, including;
  - Geotechnical and artesian conditions along the I-94 corridor.
  - Maintenance of traffic, business access, and emergency vehicle access considerations during the construction of Capital Avenue bridge and approaches.
  - Demolition of t-beam structures and impacts to part-width construction.
  - Site constraints and constructability challenges associated with the I-94 structures over the Kalamazoo River while maintaining traffic on I-94 with consideration of river navigation.
- B. Understanding of the construction and schedule requirements needed for the Project;
- C. Understanding of the design requirements needed for the Project;
- D. Understanding of mobility and safety concerns;
- E. Understanding of impacts on the adjacent communities and traveling public;
- F. Understanding the potential risks associated with the Project and mitigation efforts that will be needed to remove or reduce the risk to meet the Project goals.
- G. Understanding of utility coordination efforts and process for resolving conflicts
- H. Understanding the environmental concerns for the Project, including threatened and endangered species monitoring, and compliance of all on-site activities with the requirements of all permits and regulatory requirements including EGLE permits; and
- I. Provide the Submitter's DBE Engagement Plan approach that will be implemented to achieve the DBE goal. The approach should summarize specific good faith efforts and a process for reporting monthly to MDOT on specific activities.

#### 3.3 Qualifications of Team (40 points)

Provide the qualifications of the Submitter's team that includes both construction firm and design firm personnel. The information should address the following:

- A. Management and staff experience, capabilities and functions on projects of comparable scope and with similar conditions;
- B. The strength and depth of experience of the Key Personnel for the Project listed in Submitter's response;
- C. Effective project management and quality management structure, and approach to interaction with MDOT

- or other entities;
- D. Effective utilization of personnel and experience of team members working together;
- E. Experience with expedited schedules and timely completion on comparable projects;
- F. Experience with on-budget completion of comparable projects;
- G. Experience with integrating design and construction activities;
- H. Company experience and qualifications that are relevant to the Project scope;
- I. Experience with utility coordination efforts and conflict resolutions; and
- J. Experience with meeting NEPA and permit requirements and mitigation efforts required when environmentally sensitive areas are encountered.
- K. Qualifications and experience relating to successful Maintenance of Traffic operations on comparable corridor projects.

### **3.3.1 Organization of Project Team**

A narrative describing the Submitter's teaming arrangements, its management structure and design-build management approach. The narrative should include, at a minimum, a discussion of the following:

- A. How the Submitter team will operate, in light of the complexity and sequencing of the Project;
- B. The experience of the team members working together on other comparable projects and the results of that experience; and
- C. How the management structure will facilitate the management of the Project risks.

Describe the roles of all Key Personnel, Major Participants and identified subcontractors. The entity meeting each of the construction prequalification classifications and subclassifications listed in section 2.4 must be identified. Include what percent of the named role that the entity is expected to provide.

Provide an organizational chart(s) showing the flow of the "chain of command" with lines identifying participants who are responsible for major functions to be performed and their reporting relationships, in managing, designing and building the Project. The chart(s) must show the functional structure of the organization down to the design discipline leader or construction supervisor level and must identify Key Personnel by name. Identify the Submitter and all known Major Participants in the chart(s).

Submitters may be unable to identify all subcontractors who are providing construction and design services (design services meeting the prequalification requirements listed in Section 2.4 must be provided). If a Submitter is unable to provide the name of the subcontractors, they should include a plan of how they will obtain the firm including what qualifications they would expect the firm to provide.

### **3.3.2 Project Team Communication**

The Submitter shall provide information that will show how the Submitter communicates within the Submitter organization, with MDOT, and with others during the execution of the Project. MDOT's desire is to have a strong single point of contact who controls the Project during all phases, including planning, design, and construction. Scoring will favor those Submitters who provide a clear and concise communication approach that incorporates and integrates all components of the Submitter's team (i.e. primary designers, sub-consultant designers, construction managers, construction field personnel, construction office personnel, material testing personnel, etc.) and inserts MDOT personnel and other appropriate stakeholders (i.e. local residents and businesses, public agencies) within that communication plan (i.e. process for design and construction submittals to MDOT, MDOT involvement in quality checkpoints during design and construction, incorporating MDOT review of design changes during construction, public information plan, etc.).

### **3.3.3 Key Personnel**

#### **3.3.3.1 Resumes of Key Personnel**

Resumes of Key Personnel shall be provided as Appendix A – Resumes of Key Personnel to the SOQ. Resumes of Key Personnel shall be limited to two pages each and will not be counted towards the overall SOQ page limit. If an individual fills more than one position, only one resume is required. The listing below describes the

minimum key personnel for the Project (“Key Personnel”), others may be added by the Submitter. Submitters may propose alternate plans to staff and manage the Project, which may be approved in MDOT’s sole discretion. SOQ’s with alternate staffing plans are required to have details of the key staff and their roles and responsibilities in a manner similar to the requirements listed below, including their responsibility on the Project and their authority over the design and/or construction operations.

#### Key Personnel

- A. Project Manager
- B. Construction Manager
- C. Construction Quality Control Manager
- D. Design Manager
- E. Design Quality Control Manager
- F. Lead Road Engineer
- G. Lead Traffic Engineer
- H. Lead Maintenance of Traffic Engineer
- I. Lead Structures Engineer
- J. Lead Geotechnical Engineer
- K. Lead Hydraulics Engineer
- L. Lead Utility Engineer
- M. Environmental Compliance Manager
- N. Civil Rights Manager

Include the following items on each resume:

- A. Relevant licensing and registration.
- B. Years of experience performing similar work.
- C. Actual work examples on similar projects, including projects, project dates, duties performed and their percentage of time on the project.

#### 3.3.3.2 Minimum Qualifications of Key Personnel

Key Personnel will be evaluated, in part, based on the extent they meet and/or exceed minimum qualifications including, but not limited to, relevant education, training, certification, and experience. The following provides minimum qualifications of the Key Personnel assigned to the Project. Any certifications required to meet the requirements of the RFQ shall be in place by the time the first notice to proceed is issued. One person may be proposed in more than one Key Personnel position, unless otherwise noted.

##### A. Project Manager:

The Submitter’s Project Manager shall have a minimum of 5 years of recent experience managing the design and construction of highway construction projects with a similar scope of work, including Design-Build experience. The Submitter’s Project Manager will be responsible for the overall design, construction, quality management and contract administration for the Project and will:

- i. Have full responsibility for the prosecution of the Work,
- ii. Act as agent and be a single point of contact in all matters on behalf of Submitter,
- iii. Be available (or the Approved designee will be available) at all times that Work is performed, and
- iv. Have authority to bind Submitter on all matters relating to the Project.

##### B. Construction Manager:

The Construction Manager shall have a minimum of 10 years of recent experience managing field operations on highway construction projects of similar scope. The Construction Manager must be on site during all construction activities (or the Approved designee must be on site). The Construction Manager

must work under the direct supervision of Submitter's Project Manager. The Construction Manager is responsible for ensuring that the Project is constructed in accordance with the Project requirements. The Construction Manager is responsible for managing the Design-Builder construction personnel, scheduling of the construction activities and administering all construction requirements of the Contract.

C. Construction Quality Control Manager:

The Construction Quality Control Manager is expected to have a minimum of 10 years of recent experience overseeing the inspection and materials testing on highway construction projects of similar scope.

It shall be the responsibility of the Construction Quality Control Manager to manage the Submitter's construction Quality Control functions and will:

- i. Not be assigned any other duties or responsibilities on the Project.
- ii. Visit the site as necessary to validate construction quality, respond to any quality issues, and report on that visit to the MDOT Project Manager.
- iii. Shall be independent of direct scheduling or production activities and reports directly to the Submitter's Project Manager.
- iv. Be available whenever any construction activities are being performed.
- v. Have the authority to stop any and all work that does not meet the standards, specifications or criteria established for the Project.

D. Design Manager:

The Design Manager is expected to have a minimum of 10 years of experience in managing the design of highway construction projects and shall be a licensed professional engineer in the State of Michigan now or by the award of the Project. The Design Manager is expected to have recent relevant project experience managing similar types of projects and has Design-Build experience. The Design Manager will be responsible for ensuring that the overall Project design is completed and design criteria requirements are met. The Design Manager will:

- i. Be responsible for managing the Design-Builder's design personnel and administering all design requirements of the Contract.
- ii. Be available whenever design activities are being performed.
- iii. Work under the direct supervision of Submitter's Project Manager.

E. Design Quality Control Manager:

The Design Quality Control Manager shall have a minimum of 10 years of experience managing the design quality component of highway construction projects of similar scope and complexity and shall be a licensed Professional Engineer in the State of Michigan now or by the award of the Project. The Design Quality Control Manager will be responsible for design quality assurance for the project. The Design Quality Control Manager will:

- i. Be independent of design production and associated activities.
- ii. Work under the direct supervision of Design-Builder's management team.

F. Lead Road Engineer:

The Lead Road Engineer shall be experienced in roadway design related to roadway reconstruction and rehabilitation projects, including large roadway corridor projects of similar scope. This experience should be focused on freeway reconstruction and rehabilitation, roundabouts, and complex interchanges. The Lead Road Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

G. Lead Traffic Engineer:

The Lead Traffic Engineer shall be experienced in signing design, pavement marking design, signal design, and have significant recent experience in traffic engineering, traffic management, and capacity analysis on similar projects. This experience should be focused on high commercial ADT freeways and

complex interchanges. The Lead Traffic Engineer must be a registered professional engineer in the State of Michigan now or by the award of the Project.

H. Lead Maintenance of Traffic Engineer:

The Lead Maintenance of Traffic Engineer shall be experienced in work zone safety, work zone traffic control design, and have significant recent experience in maintenance of traffic engineering and traffic management on similar projects. This experience should be focused on high commercial ADT freeways and complex interchanges. The Lead Maintenance of Traffic Engineer must be a registered professional engineer in the State of Michigan now or by the award of the Project.

I. Lead Structures Engineer:

The Lead Structures Engineer shall be experienced in structure design of the size and type required for this Project and must be a registered professional engineer in the State of Michigan now or by the award of the Project.

J. Lead Geotechnical Engineer:

The Lead Geotechnical Engineer shall be experienced in geotechnical engineering as required for this Project, which may include experience associated with anticipated Kalamazoo River structure foundations with rock socket drilled shafts and/or commensurate experience related to N9-5E Drilled Shafts/Complex prequalification. The Lead Geotechnical Engineer must be a registered professional engineer in the State of Michigan now or by the award of the Project.

K. Lead Hydraulics Engineer:

The Lead Hydraulic Engineer shall be experienced in hydraulic engineering as required for this Project, including storm sewer design, ditch design, and water detention/retention system design. The Lead Hydraulics Engineer must be a registered professional engineer in the State of Michigan now or by the award of the Project.

L. Lead Utility Engineer:

The Lead Utility Engineer shall have recent relevant experience with coordinating and resolving utility conflicts on similar projects, including Design-Build projects. They shall demonstrate their ability to work with multiple utilities at once and how conflicts are identified, mitigated, and resolved.

M. Environmental Compliance Manager:

The Environmental Compliance Manager shall have recent experience on projects with similar environmental conditions. The Environmental Compliance Manager will be responsible for assuring compliance of all on-site activities with the requirements of all permits and regulatory requirements. The Environmental Compliance Manager shall report directly to MDOT and the Design-Builder's Project Manager simultaneously. The Environmental Compliance Manager shall have the authority to stop work that is not in compliance with environmental requirements.

Known environmental conditions on this Project include:

- i. A botanical survey was conducted along the corridor and identified threatened and endangered species near the I-194 interchange that should be protected prior to and during construction and monitored during the Project.
- ii. A mussel survey was conducted within the Kalamazoo River and mussels were relocated but no threatened and endangered species were found. An EGLE permit will be obtained by MDOT for the construction of the I-94 over Kalamazoo River bridges.
- iii. A wetland survey was completed with some wetlands identified within the corridor.

N. Civil Rights Manager:

The Civil Rights Manager shall be experienced in the successful development, implementation, and monitoring of DBE Engagement plans to achieve a project's DBE goals and comply with equal employment opportunity laws. The Civil Rights Manager will be responsible for all aspects of the DBE



Engagement Plan including monitoring the DBE participation with respect to the Project goal.

**SOQs shall include an express written statement from the Submitter committing that the Key Personnel designated in the SOQ for the positions or roles described in this Section 3 shall be available to serve the role so identified in connection with the Project.**

Proposers are advised that additional Key Personnel may be required to be identified at the RFP stage.

### **3.4 Submitter Experience (25 points)**

Describe at least two but a maximum of four projects the Submitter has completed or participated in (if the Submitter is not yet existing or is newly formed, please explain) and at least two but a maximum of four projects each listed Major Participant has managed, designed and/or constructed. For projects in which several of the proposed Major Participants were involved, the Submitter may provide a single project description. Highlight experience relevant to the Project the Submitter/Major Participants have gained in the last 5-10 years. Cite projects with levels of scope comparable to that anticipated for the Project. Also consider citing projects where construction duration is minimized, design schedules were kept, and original design and construction budgets were not increased. Describe the experiences that could apply to this Project. The experience of the Submitter will account for 15 or more of the points out of the 25 points available in this category. The experience of the Major Participants will account for a maximum of 10 points out of the 25 points available in this category. If some Major Participants are unknown at the time SOQ's are submitted, the Submitter's plan (see Section 3.3.1) for obtaining the firm for this area of work will be considered.

Each project description should include the following information:

- A. Name of the project and either the owner's contract number or state project number;
- B. Owner's project manager (i.e. the owner's construction manager for construction project or the owner's design manager for design projects) and their current telephone number;
- C. Dates of design, construction, and project management;
- D. Description of the work or services provided and percentage of the overall project actually performed;
- E. Description of scheduled completion deadlines and actual completion dates;
- F. Original design or construction budget and final design or construction cost.

MDOT may elect to use the information provided above as a reference check.

### **3.5 Past Performance of Designers (10 points)**

MDOT's objective in evaluating Past Performance is to incorporate quality of past performance of the Submitter's design firm(s) into the overall technical score. Past performance of the design firm(s) will be determined based on the Contracts Tracking System (CTRAK) at MDOT. If performance evaluations have not been performed, the selection team will contact previous clients and base scoring on feedback received. Past performance for the Submitter's construction company is reflected in the level the firm can bid and will not be part of this score.

### **3.6 Legal and Financial (Pass/Fail)**

The information required in response to this Section 3.6 shall be submitted as Appendix B – Legal and Financial. Information provided in response to these sections will not count towards the overall page limitation defined in Section 5.2. Information required by this section will be evaluated on a pass/fail basis.

#### **3.6.1 Organizational Conflicts of Interest**

Identify all relevant facts relating to past, present or planned interest(s) of the Submitter's team (including the Submitter, Major Participants, proposed consultants, contractors and subcontractors, and their respective chief executives, directors and key project personnel) which may result, or could be viewed as, an organizational conflict of interest in connection with this RFQ.

Disclose: (a) any current contractual relationships with MDOT (by identifying the MDOT contract number and project manager) that may result in, or could be viewed as a potential conflict of interest on this Project;

(b) present or planned contractual or employment relationships with any current MDOT employee; and (c) any other circumstances that might be considered to create a financial interest in the contract for the Project by any current MDOT employee if the Submitter is awarded the contract. The foregoing is provided by way of example, and shall not constitute a limitation on the disclosure obligations.

For any fact, relationship or circumstance disclosed in response to this Section 3.6.1 identify steps that have been or will be taken to avoid, neutralize or mitigate any organizational conflicts of interest.

In cases where Major Participants on different Submitter teams belong to the same parent company, each Submitter shall describe how the participants would avoid conflicts of interest through the qualification and proposal phases of the Project.

The required information for Organizational Conflicts of Interest shall be submitted using the Conflict of Interest Statement in Attachment C.

### **3.6.2 Legal Structure**

If the Submitter organization has already been formed but does not currently have paperwork on file with MDOT, provide complete copies of the organizational documents that allow, or would allow by the time of contract award, the Submitter and Major Participants to conduct business in the State of Michigan. MDOT will verify the legal structure of Submitters with paperwork currently on file with MDOT. If the Submitter organization has not yet been formed, provide a brief description of the proposed legal structure or draft copies of the underlying agreements.

### **3.6.3 Financial Viability**

The Submitter shall supply form 1300 EZ with their SOQ, if one is not currently on file with MDOT to show they will bid on the Project when it is advertised. Form 1300 EZ will be required to be resubmitted again before letting. Submitters do not need to provide MDOT Form 1381. MDOT will verify the financial viability of Submitters who have a current 1300EZ form on file with MDOT.

## **4 EVALUATION PROCESS**

### **4.1 SOQ Evaluation**

MDOT will initially review the SOQs for responsiveness to the requirements of this RFQ. The information in the SOQ will then be measured against the evaluation criteria described in Section 3. Submitter's SOQ response shall be complete based on the RFQ requirements. A non-responsive or partially non-responsive SOQ missing required information may result in a "fail".

### **4.2 SOQ Scoring**

MDOT will evaluate all responsive SOQs and measure each Submitter's response against the Project goals and evaluation criteria set forth in this RFQ, resulting in a numerical score for each SOQ. The scoring will be distributed as described in Section 3 and summarized below:

- A. Understanding of Project (25 Points)
- B. Qualifications of Team (40 Points)
- C. Submitter Experience (25 Points)
- D. Past Performance of Designers (10 Points)

### **4.3 Determining Shortlisted Submitters**

MDOT will total the scores for each responsive SOQ and prepare a ranked list of Submitters. MDOT intends to shortlist the most qualified Submitters.

MDOT reserves the right, in its sole discretion, to cancel this RFQ, issue a new RFQ, reject any or all SOQs, seek or obtain data from any source that has the potential to improve the understanding and evaluation of the responses to this RFQ, seek and receive clarifications to an SOQ and waive any deficiencies, irregularities or technicalities in considering and evaluating the SOQs.

This RFQ does not commit MDOT to enter into a contract or proceed with the procurement of the Project. MDOT assumes no obligations, responsibilities and liabilities, fiscal or otherwise, to reimburse all or part of the costs incurred by the parties responding to this RFQ. All such costs shall be borne solely by each Submitter.

### **4.4 Notification of Shortlisting**

Shortlisted teams will have their Submitter's names and scores posted on MDOT's innovative contracting website, which will serve as the shortlisting announcement. Teams that are not shortlisted will only have their scores posted; however, each Submitter will receive their individual score sheet from MDOT via e-mail within five working days of the scores and shortlist results being posted. See Attachment D for an example of the shortlisting announcement.

### **4.5 Debriefing**

Feedback may be provided via face to face meeting, phone or email at the discretion of the Project Manager however, it will not be provided until after the award of the contract.

## 5 SOQ SUBMITTAL REQUIREMENTS

The following section describes requirements that all Submitters shall satisfy in submitting SOQs. Failure of any Submitter to submit their SOQ as required in this RFQ may result in rejection of its SOQ.

### 5.1 Due Date, Time and Location

SOQs are due on the date and time listed in Section 2.2. Any SOQ that fails to meet the deadline or delivery requirement will be rejected without opening, consideration or evaluation.

SOQs shall be delivered via email to the MDOT Innovative Contracting Project Manager identified in Section 2.3 and copied to the MDOT Project Manager for Design and Construction shown below. The SOQs shall have the subject line of **“SOQ Southwest Region – I-94 DB”**. MDOT will not accept SOQs by facsimile, or any other means of delivery.

MDOT Project Manager for Design and Construction:

Corey Hackworth, P.E. – MDOT Project Manager

E-mail: HackworthC@michigan.gov

### 5.2 Format

All SOQ's shall comply with the following:

- A. Provide a Portable Document File (PDF) that is bookmarked. The maximum file size allowable for emailing is 14 megabytes (MB). The subject of the email shall be **“SOQ Southwest Region – I-94 DB”**.
- B. The SOQ shall not exceed 14 single-sided pages. The 14 page limit does not include key personnel resumes (Appendix A – Resumes of Key Personnel), submitter introduction (Appendix E – Submitter Introduction Form), and the required legal information (Appendix B – Legal and Financial) defined in Section 3.6. In the 1300EZ form, the references to “Bidder” shall mean “Submitter”.
- C. Pages shall be 8 ½ inches by 11 inches.
- D. Font must be a minimum of 12 point.
- E. All pages must be numbered continuously throughout and in the format of “Page 1 of \_”, including resumes and legal understanding.
- F. Graphics are allowed within established page limits. Text used on graphics shall be legible and shall be used to describe the contents of the graphic. Any additional narrative text that does not directly relate to a graphic may be excluded from MDOT consideration at MDOT's sole discretion.

## 6 PROCUREMENT PHASE 2

This Section 6.0 is provided for informational purposes only so that each Submitter has information that describes the second phase of the Project procurement process, including a summary of certain anticipated RFP requirements. MDOT reserves the right to make changes to the following, and the shortlisted Submitters shall only rely on the actual RFP if and when it is issued. This Section 6.0 does not contain requirements related to the SOQ. The MDOT Project Manager responsible for the design and construction aspects of the Design-Build project will be:

**MDOT Project Manager for Design and Construction:**

Corey Hackworth, P.E.

Michigan Department of Transportation, Marshall TSC Operations Engineer

E-mail: HackworthC@michigan.gov

### 6.1 Request for Proposals

The Submitters remaining on the shortlist following Phase 1 of the procurement process will be eligible to move to Phase 2 and receive an RFP. While MDOT may make the RFP available to the public for informational purposes, only shortlisted Submitters will be allowed to submit a response to the RFP.

### 6.2 RFP Structure

The RFP will be structured as follows:

- A. Instructions to Proposers
- B. Contract Documents
  - i. Book 1 (Contract Terms and Conditions)
  - ii. Book 2 (Project Requirements)
  - iii. Book 3 (Standards)
- C. Reference Information Documents (RID)

### 6.3 Proposal Evaluations

MDOT has determined that award of the Project will be based on a qualified bid to obtain the most cost effective and efficient Proposer to deliver the Project. The bids will be evaluated by combining the construction cost, shared risk items, and road user delay impacts (if applicable) to achieve a low bid.


### 6.4 Stipends

MDOT will pay a **\$130,000** stipend for responsive proposals submitted by Proposers (shortlisted Submitter). A stipend will not be paid to the successful Proposer. No stipends will be paid for submitting SOQs.

In consideration for paying the stipend, MDOT may use any ideas or information contained in the proposals in connection with any contract awarded for the Project or in connection with a subsequent procurement, without any obligation to pay any additional compensation to the unsuccessful shortlisted Proposers.

MDOT may require shortlisted firms to complete additional paperwork, such as MDOT Form 5100J, in order to process the payment of the stipend.

## **Attachment A    Location Map**



**Attachment B Preliminary Reference Information Documents****INDEX OF REFERENCE INFORMATION DOCUMENTS**

These documents are provided on MDOT ProjectWise. Access can be obtained by contacting Miranda Spare, MDOT Innovative Contracting Project Manager at SpareM@michigan.gov. When requesting access, also carbon copy (cc) Corey Hackworth, MDOT Project Manager at HackworthC@michigan.gov.

<b>RID AS-BUILTS</b>	
(Descriptions of as-builts are provided for information only and may not be entirely accurate)	
<b><u>Roadway As-Builts</u></b>	
13081 – 014 015.pdf	– CS 13081-014 & 13081-015 As-Builts (1967)
13081 – 17648.pdf	– CS 13081 1981 Rest Area As-Builts (1981)
13081 – 17649.pdf	– CS 13081 As-Builts (1981)
13081 – 24112.pdf	– CS 13081 As-Builts (1987)
13081 – 43754.pdf	– 13081 & 13082 I-94 Proposed Roadway Plans – Mill and Overlay (1998)
13081-58877.pdf	– CS 13081, 13082 & 13083 Proposed Roadway Plans – Freeway Sign Upgrading (2003)
13081 – 33587.pdf	– 13081 I-94 Proposed Roadway Plans (1993)
13081 – C1 U-42-1.pdf	– 13081 C-1 I-94 Bridge and Road Plans (1957)
13082 – 28211.pdf	– 13082 I-94 As-Builts (1989)
13082 – C1 C2 C5 N-18-C3.pdf	– 13082 & 13083 I-94 Bridge and Road Plans (Original)
13082 – C3 C5 V-46-1.pdf	– 13082 I-94 Bridge and Road Plans (1955)
13082 – 24914.pdf	– 13082 As-Builts (1986)
13082 – 014 015.pdf	– 13082-014 & 13082-015 Bridge and Roadway Plans (1967)
13082 – C4 C6 V-47-1.pdf	– 13082 Bridge and Roadway Plans (1958)
110138_Road.pdf	– WB I-94 between 17.5 Mile Road to 22.5 Mile Road Resurfacing Plans (2016)
115841_Road.pdf	– 13081, 13082, 13083 Freeway Signing Upgrade Plans (2015)
125865_Road.pdf	– 13082 Roadway Rehabilitation Plans (2018)
125865_Addend1.pdf	– 13082 Roadway Rehabilitation Plans Addenda 1 (2018)
125865_Addend2.pdf	– 13082 Roadway Rehabilitation Plans Addenda 2 (2018)
127171_Proposal.pdf	– 1.83mi of pavement repair on I-194 including ramps on M-66 (2016)
127171_Addend1.pdf	– 1.83mi of pavement repair on I-194 including ramps on M-66 Addenda 1 (2016)
127639_Road.pdf	– 13082 Roadway Rehabilitation Plans (2019)
JN 75047_Planhalf.pdf	– 13081 & 13082 Mill and Resurface Plans (2008)
JN 75047_Addend1.pdf	– 13081 & 13082 Mill and Resurface Plans Addenda 1 (2009)
JN 102278_Planhalf.pdf	– 13082 I-94 Construction of Cable Median Barrier and Slope Restoration (2009)
JN 102278_Addend1.pdf	– 13082 I-94 Construction of Cable Median Barrier Addenda 1 (2009)



JN 107136_Planhalf.pdf – 13081 Riverside Drive Sanitary Sewer Replacement, Pavement Repair (2012)
JN 107136_Addend1.pdf – 13081 Riverside Drive Sanitary Sewer Replacement Addenda 1 (2012)
JN 108715_Planhalf.pdf – 13082 near M-311 Roadway Plans – Ramp Extension (2012)
JN 108715_Addend1.pdf – 13082 near M-311 Roadway Plans – Ramp Extension (2012)
<b><u>Bridge As-Builts</u></b>
13081 - S04 B4 13-3-4.pdf – Proposed Structure Plan
13081 - S04 19328.pdf – Repair Structure Plan (1981)
13081 - S04 33271.pdf – Bridge Widening Plan (1992)
13082 - S01-3 B1 13-10-4.pdf – Proposed Structure Plan
13082 - S01-3.pdf – Barrier Replacement (1976)
13082 - S01-3 28211.pdf – Deck Overlay and Joint Replacement (1989)
13082 – S01-3 PLANHALF.pdf – Bridge Rehabilitation (2009)
13082 - S01-4 B1 13-10-4.pdf – Proposed Structure Plan
13082 - S01-4.pdf – Barrier Replacement (1976)
13082 - S01-4 28211.pdf – Deck Overlay and Joint Replacement (1989)
13082 – S01-4 PLANHALF.pdf – Bridge Rehabilitation (2009)
13082 - S02-3 B3 13-10-4.pdf – Proposed Structure Plan
13082 - S02-3 28211.pdf – Deck Overlay and Joint Replacement (1989)
13082 – S02-3 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - S02-4 B3 13-10-4.pdf – Proposed Structure Plan
13082 - S02-4 09414.pdf – Barrier Replacement (1976)
13082 - S02-4 28211.pdf – Deck Overlay and Joint Replacement (1989)
13082 - S02-4 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - S03-3 B4 13-10-4.pdf – Proposed Structure Plan
13082 - S03-3 09414.pdf – Barrier Replacement (1976)
13082 - S03-3 28211A.pdf – Deck Overlay and Joint Replacement (1989)
13082 - S03-3 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - S03-4 B4 13-10-4.pdf – Proposed Structure Plan
13082 - S03-4 09414.pdf – Barrier Replacement (1976)
13082 - S03-4 28211A.pdf – Deck Overlay and Joint Replacement (1989)
13082 - S03-4 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - S04 B10 13-10-4.pdf – Proposed Structure Plan
13082 - S04 29809.pdf – Bridge Rehabilitation (1992)
13082 - B01-3 B5 13-10-4.pdf – Proposed Structure Plan

13082 - B01-3.pdf – Joint Replacement (1972)
13082 - B01-3 09414A.pdf – Barrier Replacement (1976)
13082 - B01-3 28211A.pdf – Deck Overlay and Joint Replacement (1989)
13082 - B01-3 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - B01-4 B5 13-10-4.pdf – Proposed Structure Plan
13082 - B01-4.pdf – Joint Replacement (1972)
13082 - B01-4 09414A.pdf – Barrier Replacement (1976)
13082 - B01-4 28211A.pdf – Deck Overlay and Joint Replacement (1989)
13082 - B01-4 PLAN HALF.pdf – Bridge Rehabilitation (2009)
13082 - S05 B6 13-10-4.pdf – Proposed Structure Plan
13082 - S05 06039A.pdf – Joint Replacement and Deck Overlay (1973)
13082 - S05 29668.pdf – Barrier Replacement and Deck Overlay (1994)
13081 - S05-3 _planhalf.pdf – Proposed Structure Plan (2008)
13081 - S05-3 _planhalf(revision1).pdf – Revision 1 (2009)
13081 - S05-3 _planhalf(revision2).pdf – Revision 2 (2009)
13081 - S05-4 _planhalf.pdf – Proposed Structure Plan (2008)
13081 - S05-4 _planhalf(revision1).pdf – Revision 1 (2009)
13081 - S05-4 _planhalf(revision2).pdf – Revision 2 (2009)
13081 - S06-1 B6 13-3-4.pdf - Original structure (only portions of sub units remain)
13081 - S06-1 29814A.pdf – Partial Structure Replacement (1993)
13081 – 204349_S06-1 _planhalf.pdf – Epoxy Overlay (2008)
13081 - S06-2 B6 13-3-4.pdf - Original structure (only portions of sub units remain)
13081 - S06-2 29814A.pdf – Partial Structure Replacement (1993)
13081 – S06-2 planhalf.pdf – Epoxy Overlay (2008)
13083 - S01 B1 13-16-8.pdf – Proposed Structure Plan (1959)
13083 - S01 31366A.pdf – Deck Replacement and Paint Steel Beams (1992)
13082 - S06 B7 13-10-4.pdf – Proposed Structure Plan (1959)
13082 – S06 - 29668.pdf – Barrier Replacement and Deck Overlay (1993)
13081 – 78502.pdf – 13081-S01 2004 Proposed Bridge Rehabilitation Plans
13081 – 16332.pdf – 13081-S01 through S05 and X01 1981 Bridge Rehabilitation Plans
13082 – 29668.pdf – 13082-S05 & S06 1994 Proposed Bridge Plans
Planhalf(revision1).pdf – 13081-S05 Proposed Bridge Replacement Plans
Planhalf(revision2).pdf – 13082-S05 Proposed Bridge Replacement Plans
<b>RID MISCELLANEOUS REFERENCE</b>

<b><u>Structures</u></b>
1-Executive Summary.pdf
2-Scoping Report 13082-B01-3&4.pdf
3-Scoping Report 13082-S01-3&4.pdf
4-Scoping Report 13082-S02-3&4.pdf
5-Scoping Report 13082-S03-3&4.pdf
6-Scoping Report 13081-S04.pdf
7-Scoping Report 13082-S04.pdf
13081-S05 Scoping Report.pdf
13081-S06 Scoping Report.pdf
13082-S05 Scoping Report.pdf
13082-S06 Scoping Report.pdf
13083_S01 Scoping Report.pdf
<b><u>Survey</u></b>
Hydraulic_Survey_Files.zip – Brickyard Creek and Kalamazoo River
Roadway_Survey_Files.zip (except M-311)
Structure_Survey_Files.zip (except M-311)
ROW_Survey_Files.zip
<b><u>Traffic</u></b>
2021_08_18_ITS_Exhibit.pdf
2021_05_Calibration_Validation_Base_Conditions_Memo.pdf
2021_01_27_Existing_Year_VISSIM_Files.zip
2021_02_12_No_Build_VISSIM_Files.zip
2021_02_25_Existing_Safety_Report.pdf
2021_03_16_Future_Year_VISSIM_Files.zip
2021_07_Capital_Alternatives_Analysis_Memo.pdf
<b><u>Utility</u></b>
2021_10_12_Utility_Conflict_IDs.pdf
2021_10_12_Utility_Conflict_Matrix.pdf

## Attachment C      Conflict of Interest Disclosure

\_\_\_\_\_ (Prime Contractor Name) certifies that it has read and understands the following:

The PRIME CONTRACTOR, its team members, and its Affiliates agree not to have any public or private interest, and shall not acquire directly or indirectly any such interest in connection with the Project, that would conflict or appear to conflict in any manner with the performance of the services under this Contract. The PRIME CONTRACTOR and its team members are aware of and understand the requirements of 23 CFR, subsection 636.116. "Affiliate" means a corporate entity connected to the PRIME CONTRACTOR through common ownership. "Team member" means any known entity the PRIME CONTRACTOR intends to be in a contractual relationship with to complete the work associated with the Project. The PRIME CONTRACTOR, its team members, and its Affiliates agree not to provide any services to any entity that may have an adversarial interest in the Project, for which it has provided services to the DEPARTMENT. The PRIME CONTRACTOR, its team members, and its Affiliates agree to disclose to the DEPARTMENT all other interests that the PRIME CONTRACTOR, its team members, or sub consultants have or contemplate having during each phase of the Project. The phases of the Project include, but are not limited to, planning, scoping, early preliminary engineering, design, and construction. In all situations, the DEPARTMENT will decide if a conflict of interest exists. If the PRIME CONTRACTOR, its team members, and its Affiliates choose to retain the interest constituting the conflict, the DEPARTMENT may terminate the Contract for cause in accordance with the provisions stated in the Contract.

- ☐ Certification for Subject Project: Based on the foregoing, the PRIME CONTRACTOR certifies that no conflict exists with the subject Project for it, or any of its team members and/or Affiliates
- ☐ Disclose of Conflict with Subject Project: Based on the foregoing, the PRIME CONTRACTOR certifies that a potential conflict does or may exist with the subject Project for it, and/or any of its team members and/or Affiliates. The attached sheets describe the potential conflict

This form, and any attachments, must be certified by a person from the PRIME CONTRACTOR who has contracting authority.

Certified by:    Printed Name: \_\_\_\_\_  
                         Signature:        \_\_\_\_\_  
                         Title:                        \_\_\_\_\_  
                         Company Name: \_\_\_\_\_  
                         Date:                        \_\_\_\_\_

**Attachment D Example Notice of Shortlisting Results**

(DATE OF POSTING)

**I-94 Calhoun County Design-Build Project**

MDOT Job No. 201957, 203387, 204348, 204349, 210073, 210837, 212581

**The following teams have been shortlisted for the I-94 Calhoun County Design-Build Project:**

<b>Shortlisted Team Name</b>	<b>Cumulative Score (100 Pts. Max.)</b>	<b><u>Criterion #1</u> Project Understanding (25 Pts. Max.)</b>	<b><u>Criterion #2</u> Team Qualifications (40 Pts. Max.)</b>	<b><u>Criterion #3</u> Submitter Experience (25 Pts. Max.)</b>	<b><u>Criterion #4</u> Past Performance of Designers (10 Pts. Max.)</b>
Company 1					
Company 2					
Company 3					
Company 4					
Company 5					
<b>Non-Shortlisted Scores (Names are not provided)</b>	<b>Cumulative Score (100 Pts. Max.)</b>	<b><u>Criterion #1</u> Project Understanding (25 Pts. Max.)</b>	<b><u>Criterion #2</u> Team Qualifications (40 Pts. Max.)</b>	<b><u>Criterion #3</u> Submitter Experience (25 Pts. Max.)</b>	<b><u>Criterion #4</u> Past Performance of Designers (10 Pts. Max.)</b>
<i>(Intentionally Left Blank)</i>					
<i>(Intentionally Left Blank)</i>					
<i>(Intentionally Left Blank)</i>					
<i>(Intentionally Left Blank)</i>					

**Attachment E Submitter Introduction Form**

**Submitter Organization Information:** *If the Submitter is a joint venture, include information from each member of the joint venture.*

Business Name:	
Business Address:	
Business Type: (corporation, partnership, joint venture, etc.)	

**Submitter's Point of Contact:** *This person will be the single point of contact on behalf of the Submitter organization, responsible for correspondence to and from the organization to MDOT. MDOT will send all Project-related communications to this contact person.*

Name:	
Address:	
Telephone number:	
E-mail Address:	

**Major Participants:**

Major Participant Name/Contact	Address of Head Office	Description of Role/Prequalification

**Acknowledgement of RFQ Addenda:** *Identify and acknowledge all RFQ addenda provided by number and date.*

Addenda Number:	Addenda Date:	Acknowledgement: (check box)
		<input type="checkbox"/>
		<input type="checkbox"/>
		<input type="checkbox"/>

**Signatures:**

This form is required to be signed by authorized representatives of the Submitter organization. If the Submitter is a joint venture, the joint venture members shall sign the form. It should be noted, that Lead Engineering Firms or other consultants providing professional services cannot serve as a member of a joint venture. If the Submitter is not yet a legal entity, the known Major Participants shall sign the form.

By signing below, the Submitter certifies the truth and correctness of the contents of the SOQ, including this Submitter Introduction Form.

Printed Name:	Signature:	Date:	Organization/Role: